

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/981,700		10/17/2001	Shinya Matsuda	15162/04130	15162/04130 7327	
909	7590	12/14/2006		EXAM	EXAMINER	
		THROP SHAW	WHIPKEY, JASON T			
P.O. BOX 1 MCLEAN,		02		ART UNIT PAPER NUMBER		
,				2622		

DATE MAILED: 12/14/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

## Supplemental Notice of Allowability

Application No.	Applicant(s)		
09/981,700	MATSUDA ET AL.		
Examiner	Art Unit		
Jason T. Whipkey	2622		

	Jason T. Whipkey	2622	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. <b>THIS</b>
2.  The allowed claim(s) is/are <u>1,2,5-14 and 17-24 (now renun</u>	obered 1 2 7-10 13-15 3-5 11 16-18	6 12 19 and 20 resne	ctively)
3.	been received.  been received in Application No cuments have been received in this in of this communication to file a reply of this application.  itted. Note the attached EXAMINER' as reason(s) why the oath or declarate the submitted. on's Patent Drawing Review (PTO-1) of Amendment / Comment or in the Office of BIOLOGICAL MATERIAL in the beader according to 37 CFR 1.121(consist of BIOLOGICAL MATERIAL in	national stage applicate complying with the requestion is deficient.  948) attached office action of the regular in the front (not the regular).	ouirements  OTICE OF
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☑ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal Pa 6. ☑ Interview Summary Paper No./Mail Date 7. ☑ Examiner's Amendm 8. ☐ Examiner's Stateme 9. ☐ Other	(PTO-413), e nent/Comment	wance

**VIVEK SRIVASTAVA** 

SUPERVISORY PATENT EXAMINER FACOM NAMED TO THE PARTY OF THE PARTY OF

Application/Control Number: 09/981,700 Page 2

Art Unit: 2622

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes be unacceptable to Applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael DeHaemer on September 18, 2006.

- 2. The application has been amended as follows:
  - In claim 5 (now renumbered as claim 7) on line 7, replace "the scanning mechanism" with -- a scanning mechanism --.
  - In claim 17 (now renumbered as claim 11) on line 3,
     replace "shooting portion." with -- shooting device. --.
  - In claim 20 (now renumbered as claim 18) on line 3,
     replace "shooting portion." with -- shooting device. --.
  - In claim 22 (now renumbered as claim 12) on line 3, replace "photoelectrically converting" with -- image shooting --.
  - In claim 23 (now renumbered as claim 19) on line 4, replace "the shift amount for each split image, wherein"

Application/Control Number: 09/981,700

Art Unit: 2622

with -- a shift amount for each split image detected by the detector, wherein --.

Page 3

In claim 24 (now renumbered as claim 20) on line 3. replace "photoelectrically converting" with -- image shooting --.

## Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Whipkey, whose telephone number is (571) 272-7321. The examiner can normally be reached Monday through Friday from 9:00 A.M. to 5:30 P.M. eastern daylight time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vivek Srivastava, can be reached at (571) 272-7304. The fax phone number for the organization where this application is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you

Art Unit: 2622

would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JTW

October 25, 2006

VIVEK SRIVASTAVA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600